Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(((operating adj1 system$1) same (thread$1 or job$1 or task$1 or process) same (lock$4)).ab.ti.) and @ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2005/01/13 09:59
L2	29	(((operating adj1 system$1) same (thread$1 or job$1 or task$1 or process) same (lock$4)).ab.ti.) and @ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2005/01/13 09:59
L3	2149	symmetric$4 near10 multiprocess$4	US-PGPUB; USPAT	OR	OFF	2005/01/13 09:59
L4	3	((operating adj1 system$1) same (critical adj1 area$1) same lock$4)	US-PGPUB; USPAT	OR	OFF	2005/01/13 09:59
L5	45	(operating adj2 system$1) near2 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 09:59
L6	30	IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 09:59
L7	4	IPC and critical adj area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 09:59
L8	29	(operating adj2 system$1) adj2 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 09:59
L9	0	(operating adj2 system$1) adj2 call$3 and IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 09:59
L10	88	718/102-105.ccls. and 719/313-317.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:00
L11	365	718/102-105.ccls. and 709/223-226,217-219,205-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:00

L12	15	l10 and l11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:00
L13	1	l10 and l11 and IPC and messag$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:00
S1	0	((operating adj1 system$1) same (critical adj1 area$1) same lock$4).ab.ti.	US-PGPUB; USPAT	OR	OFF	2003/09/08 09:36
S2	2	((operating adj1 system$1) same (critical) same lock$4).ab.ti.	US-PGPUB; USPAT	OR	OFF	2003/05/07 09:48
S3	1	((operating adj1 system$1) same (global adj1 lock$4)).ab.ti.	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:29
S4	2874335	@ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:31
S5	32	((operating adj1 system$1) same (thread$1 or job$1 or task$1 or process) same (lock$4)).ab.ti.	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:31
S6	28	(((operating adj1 system$1) same (thread$1 or job$1 or task$1 or process) same (lock$4)).ab.ti.) and @ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:33
S7	1148	operating adj1 system$1 same critical and @ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:35
S8	41	(operating adj1 system$1 same critical same lock)and @ad<"19990825"	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:35
S9	4	(operating adj1 system$1 same critical same lock) and @ad<"19990825" and 709/103. ccls.	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:39
S10	15	(operating adj1 system$1 same critical same lock) and @ad<"19990825" and "709"/$!. ccls	US-PGPUB; USPAT	OR	OFF	2002/08/23 13:39
S11	1	"5633999".pn. and (non adj1 critical) same (operating adj1 system$1)	US-PGPUB; USPAT	OR	OFF	2002/08/27 16:31
S12	0	symmetric$4 near10 multiprocess$4 near10 critical	US-PGPUB; USPAT	OR	OFF	2003/05/07 09:49
S13	1219	symmetric$4 near10 multiprocess$4	US-PGPUB; USPAT	OR	OFF	2003/05/07 11:21

S14	2	"5771382".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/07 12:55
S15	2	((operating adj1 system$1) same (critical adj1 area$1) same lock$4)	US-PGPUB; USPAT	OR	OFF	2003/09/08 09:38
S16	3	(operating adj2 system$1) near10 call$1 near10 critical near10 area$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:40
S17	140	(operating adj2 system$1) near10 IPC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:46
S18	13	(operating adj2 system$1) near10 IPC near10 call$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:47
S19	0	(operating adj2 system$1) near10 IPC near10 call$3 and critical near5 area$1 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:48
S20	4	(operating adj2 system$1) near10 IPC near10 call$3 and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:48
S21	82	(operating adj2 system$1) near10 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:48
S22	72	(operating adj2 system$1) near5 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:48
S23	43	(operating adj2 system$1) near2 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:49

S24	28	(operating adj2 system$1) adj2 call$3 and IPC and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:49
S25	0	(operating adj2 system$1) adj2 call$3 and IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:49
S26	0	(operating adj2 system$1) near10 call$3 and IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:50
S27	9	(operating adj2 system$1) and IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:55
S28	28	IPC and critical near5 area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:55
S29	4	IPC and critical adj area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:55
S30	0	operating adj1 system$1 near5 call$3 same critical adj area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:55
S31	9	operating adj1 system$1 near5 call$3 and critical adj area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:57
S32	20	operating adj1 system$1 same critical adj area$2 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 09:58
S33	26	operating adj1 system$1 same critical adj code and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:06

S34	4	operating adj1 system$1 same critical adj code same lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:08
S35	4	operating adj1 system$1 near10 critical adj code same lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:08
S36	10	operating adj1 system$1 near10 critical adj code and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:11
S37	10	operating adj1 system$1 and critical adj code near10 lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:16
S38	0	micro adj1 kernel$1 same critical adj code near10 lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:16
S39	0	kernel$1 same critical adj code near10 lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:17
S40	7	kernel$1 and critical adj code near10 lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:12
S41	2	"5515538".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 10:37
S42	0	((micro adj kernel$1 or microkernel$1)) and critical adj code near10 lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:13
S43	4	((micro adj kernel$1 or microkernel$1)) and critical adj code and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:28

S44	2	((micro adj kernel$1 or microkernel$1)) and SunOS and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:21
S45	434	((micro adj kernel$1 or microkernel$1)) sameSunOS and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:21
S46	0	((micro adj kernel$1 or microkernel$1)) same SunOS and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:21
S47	4	((micro adj kernel$1 or microkernel$1)) and critical adj code and (symmetric or SMP) and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:25
S48	79	((micro adj kernel$1 or microkernel$1)) and critical and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:28
S49	18	((micro adj kernel$1 or microkernel$1)) and critical near5 (area$1 or section$1 or code$1) and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:31
S50	2	"5519867".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:41
S51	1	((microkernel$1 or micro adj1 kernel$1) and critical adj1 area$1) and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:43
S52	326	((microkernel$1 or micro adj1 kernel$1)) and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:43
S53	45	((microkernel$1 or micro adj1 kernel$1)) and 709/100-108.ccls. and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:44

S54	17	((microkernel$1 or micro adj1 kernel$1)) and 709/100-108.ccls. and critical and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:49
S55	0	((microkernel$1 or micro adj1 kernel$1)) same SUNOS and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:47
S56	2	((microkernel$1 or micro adj1 kernel$1)) and SUNOS and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:47
S57	5	((microkernel$1 or micro adj1 kernel$1)) same (SMP or symmetric) and "709"/$.ccls. and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:52
S58	53	((microkernel$1 or micro adj1 kernel$1)) near5 operating adj1 system$1 and "709"/$.ccls. and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:53
S59	21	((microkernel$1 or micro adj1 kernel$1)) near5 operating adj1 system$1 and 709/100-108.ccls and @ad<"19990824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 11:54
S60	10	((microkernel$1 or micro adj1 kernel$1)) near5 operating adj1 system$1 and 709/100-108.ccls. and @ad<"19990824" and critical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 12:34
S61	14	((microkernel$1 or micro adj1 kernel$1)) near5 operating adj1 system$1 and 709/100-108.ccls. and @ad<"19990824" and interrupt$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/08 12:55
S62	2	"5515538".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:09
S63	456	messag$4 near5 pass$4 near10 (operat$4 near5 system OS) and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:10

S64	28	messag$4 near5 pass$4 near10 (operat$4 near5 system OS) and @ad<"19990825" and "718"/$.. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:23
S65	0	global near10 lock$3 and IPC near10 OS and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:27
S66	3	non adj1 critical near10 area$1 near10 (operating near5 system$1 OS) and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:28
S67	3	messag$4 near10 pass$4 near10 (operating near5 system$1 OS) and global near10 lock$1 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:43
S68	0	SMP near10 IPC and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:44
S69	2	SMP near10 inter near5 process and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:45
S70	0	Symmetric near10 inter near5 process and lock$3 and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:45
S71	0	Symmetric near10 inter near5 process and @ad<"19990825"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/02 09:45